

# THIR UNITED SHATES OF AMERICA

TO AVIL TO WHOM THESE: PRESENTS SHAVE COME:

Paragon Seed, Inc.

DICTURE, THERE HAS BEEN PRESENTED TO THE

# Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE HT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR TING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE URPOSE, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

#### **LETTUCE**

'Lighthouse'

In Testimony Thereof, I have hereunto set my hand and caused the seal of the Hunt Hariety Frotestion Office to be affixed at the City of Washington, D.C. this twenty-sixth day of July, in the year two thousand and five.

Atlest:

Commissioner Dhat United Balantina (

Plant Variety Protection Office Agricultural Marketing Service Ceretary of Agriculture

# Lighthouse Breeding History

The objective of this crossing project was to develop a vanguard type crisphead lettuce cultivar which would produce large, compact heads under warm, long day growing conditions, and be free from tipburn and internal rib discoloration.

Selection criteria included but was not limited to:

- 1. large, compact head size as compared to vanguard type field plantings,
- 2. Low core height, bolt tolerance as compared to field plantings,
- 3. free of physiological disorders; tipburn, rib discoloration,
- 4. determinate heading and uniformity of type, and
- 5. vanguard class

Fallgreen is black.

Excel was selected as the mother plant for its large head size, sure heading character and exceptional bolt tolerance. Seed color of Excel is tan. Fallgreen was selected as the pollen parent for vanguard leaf type, bolt tolerance and tipburn resistance. Seed color of

Lighthouse originated from a hand pollinated cross between the crisphead lettuce varieties Excel and Fallgreen. The cross was made near Corcoran, California in July of 1994 using the technique outlined by Ryder and Johnson in "Mist Depollination of Lettuce Flowers", published in HortScience, Vol. 9(6), 1974.

Original selections were made using the single seed descent method of breeding.  $F_1$  seed was removed from the maternal plant (designation EF5) in August, 1994, and was transferred to Salinas, California for planting in the greenhouse.  $F_1$  seed was germinated in petrie dishes, and twenty  $F_1$  seedlings were transferred to one gallon pots filled with standard potting soil for reproduction in the greenhouse. The  $F_1$  seedlings carried the cross designation "EF5-1, EF5-2, EF5-3...EF5-20". Nine  $F_2$  plants were harvested in early April of 1995.  $F_2$  seed was again germinated in petrie dishes to overcome dormancy, and seedlings from each "EF5" line were transferred to Corcoran, California in May of 1995 for reproduction. Each plant was observed in the seed production field for leaf type segregation, early bolt tolerance, tipburn, rib discoloration, and style of heading.

pertum of 1/13/04 mad 3/23/04 Lighthouse

**Breeding History** 

Only plants with strong heading characteristics, vanguard leaf type, slow seed stem elongation, and freedom from tipburn and rib discoloration were allowed to produce seed. In early September of 1995, seed was harvested from  $F_3$  lines and designated as follows:

breeding line	selections	seed color
EF-5-1	1-19	segregating
EF-5-2	1-8	segregating
EF-5-4	1-5	segregating
EF-5-5	1-5, 50	segregating
EF-5-6	1-3	segregating
EF-5-9	1-6	segregating
EF-5-10	1,2	segregating
EF-5-11	1-7	segregating

Concurrent to the production of seed near Corcoran, California, the EF5 lines were planted for observation in a fall field trial near Huron, California. This trial was planted in a commercial lettuce field on August 12, 1995. EF5 lines were evaluated for leaf type, heading ability, bolt tolerance, cap leaf protection ever the head, and overall quality of the heads. EF-5-11 showed promise in this trial planting.

Fifty six of the F<sub>3</sub> selections from the eight families were planted for evaluation in Yuma, Arizona in the following trials:

Ranch	Area	germ date	observation	Field seed
Ott 213	Yuma, Arizona	09-29-95	12-14-95	Winter King
Gila 622	Yuma, Arizona	11-16-95	03-01-96	Gabilan

The EF5-11 selections scored well in both trials, exhibiting large, round head size, large frame size when compared to industry standards, with slow bolting character and freedom from tipburn and rib discoloration.

# Lighthouse Breeding History

Selections with extended cores, elongated heads, heads with poor head protection or with the Great Lakes "frilled" type leaf were eliminated in this trial.

In April of 1996, the following breeding lines were selected for seed increase near Corcoran, California:

line
EF-5-1-5
EF-5-1-12
EF-5-1-17
EF-5-2-7
EF-5-4-3
EF-5-5-50
EF-5-9-5
EF-5-11-6
EF-5-11-7

Concurrent with the production in the San Joaquin Valley during the summer of 1996, breeder trials were planted and evaluated in the Salinas Valley as follows:

Ranch	Area	germ date	observation	Field seed
Tannehill	King City, Ca.	05-20-98	07-29-96	Gabilan
Hook	Greenfield, Ca.	05-30-96	08-09-96	Gabilan
Ragus 206	King City, Ca.	06-04-96	08-17-96	Gabilan
Marsella	Gilroy, Ca.	06-13-96	08-12-96	Raider
Cherry Orchard	San Ardo, Ca.	07-09-96	09-10-96	Gabilan

The EF-5-11 selections continued to show promise at this stage, head size was as large or larger than field varieties, bolt tolerance was very good, and defects were noted to be equal to or less than noted in check varieties. When compared to Raider, Lighthouse was consistently larger in head size with better head conformation. Lighthouse also appeared to have better bolt tolerance than the test varieties Raider, Montemar, Fallgreen, more similar to the field plantings of the variety Gabilan. The leaf color of the EF-5-11-7 line is intermediate between Fallgreen and Excel.

#### EXHIBIT A

#### LIGHTHOUSE

#### **BREEDING HISTORY**

Lighthouse exhibits a high level of heading under conditions which are warmer than normal, whereas, Fallgreen and Gilaben plants tend to show irregular folding and non heading characteristics. Based on the 1996 observations of trials in the Southern Salinas Valley, seed was selectively harvested in September of 1996 from the seed field near Corcoran, California as follows:

Line	Selections	Seed Color
EF-5-11-7	1 to 5 & Mass	white (silver)

At this time it appeared that the EF-5-11-7 line had commercial potential, and expanded trials for Yuma were planned to determine what areas and time slots the variety would be best adapted. The Paragon breeding line AW-84, which later became Beacon, was chosen as the primary line for commercial testing, with EF-5-11-7 secondary.

In the fall of 1996, extensive trials were conducted in Yuma, Arizona where breeding lines were again evaluated for uniformity to type, uniformity of heading, bolt tolerance, and commercial desirability. Results were positive and showed that EF-5-11-7 was unique in character, distinguishable from all other varieties currently under production, and offered commercial growers a high quality product. Trials again confirmed that EF-5-11-7 selections were very uniform for horticultural type, and produced the largest head size in numerous field trials.

In April of 1997, Paragon commenced production of its 1997 seed crop near Corcoran, California. In addition to the reproduction of advanced EF-5-11-() breeding lines, the first crop of EF-5-11-7 was seeded. Stock seed for this crop was made up of a composite of the superior lines identified in Yuma, Arizona trials as EF-5-11-7-(4,5,Bal).

In June of 1997, the commercial seed crop of Lighthouse was rogued and was stable and uniform without variants.

## Exhibit A

Lighthouse

**Breeding History** 

9900122

In the summer of 1997, 1996 individual plant selections of the superior lines identified in Yuma, Arizona were evaluated in the southern Salinas Valley of California, as listed:

Ranch	Area	germ date	observation	Field seed
Tannehill	King City, Ca.	04-21-97	06-30-97	Gabilan
Hospital	Gilroy, Ca.	05-15-97	07-18-97	Maverick
Hansen	Gilroy, Ca.	05-19-97	07-21-97	Maverick
Ragus	King City, Ca.	05-22-97	07-24-97	Gabilan
Rio	King City, Ca.	05-23-97	07-26-97	Fallgreen
Lower Zabala	Greenfield, Ca.	05-23-97	07-27-97	Diamond
Young Ranch	Gilroy, Ca.	05-28-97	07-28-97	Maverick
Rio	King City, Ca.	06-10-97	08-14-97	Fallgreen
Ragus	King City, Ca.	06-20-97	08-28-97	Gabilan
Goshen	Gilroy, Ca.	06-24-97	09-02-97	Maverick II
Willoughby	San Juan Bautista	06-27-97	08-29-97	Montemar
Tannehill	King City, Ca.	07-03-97	09-10-97	Gabilan
Tannehill	King City, Ca.	07-09-97	09-15-97	Gabilan

On April 02, 1997, Paragon Seed, Inc. received a response letter from the United States Department of Agriculture regarding the availability of the name Lighthouse for the breeding line EF-5-11-7.

The name Lighthouse was cleared by the U.S.D.A. on April 02, 1997.

Based on exceptional results of extensive testing and trials of the experimental line EF-5-11-7, the name Lighthouse was introduced for the 1997 produced seed. The first seed of the variety was sold on March 20, 1998. Numerous trials were conducted in the Salinas Valley and the San Joaquin Valleys of California during the summer and fall of 1998 to develop commercial plant/harvest dates for growers.

#### EXHIBIT A

#### LIGHTHOUSE

#### **BREEDING HISTORY**

Selection work continued throughout 1998 to establish the EF-5-11-7-4 line for stock seed. This line was reproduced in the 1998 seed production field near Corcoran, California, and growouts were conducted in Yuma, Arizona in late November of 1998.

Lighthouse has been reproduced and judged to be stable and uniform without variants. For the past three severations.

MAH Per original Exh.b.T A

#### **EXHIBIT B**

#### Lettuce LIGHTHOUSE

#### NOVELTY STATEMENT

Lighthouse is a crisphead type lettuce best adapted for production in the Western United States. Lighthouse is best described as a large framed, large headed vanguard type iceberg lettuce adapted for production where Raider, Fallgreen, Empire, and Excel have been previously planted. This would be for summer harvest in the Southern Salinas Valley of California, early fall harvest in the San Joaquin Valley of California, and late fall harvest in the Imperial Valley of California and Yuma, Arizona.

Lighthouse is most similar to the varieties Beacon and Fallgreen.

Lighthouse is most similar to the variety Fallgreen; however, the seed color of Lighthouse is white (silver) whereas, the seed color of Fallgreen is black.

In trials conducted in 1997 and 1998, Lighthouse consistently produced heads with greater solidity, circumference, and weight than Fallgreen. Core height of Lighthouse is higher than Fallgreen. (See statistical comparisons Exhibit C). Leaf color of Lighthouse is 141B whereas Fallgreen is 143B based on comparisons made at different locations in two different growing areas using the Royal Horticultural Colour Charts. Leaf color comparisons were made in Huron, California in October 2003, Yuma, Arizona in December, 2003 and November, 2004 which support this claim.

Lighthouse is similar to Beacon; however, leaf color of Lighthouse is 141B versus Beacon which is 139A. The leaf surface of Lighthouse is moderately savoyed, whereas, the leaf surface of Beacon is smooth. (See Exhibit D photographs)

Lighthouse produces heads which are round in shape, whereas, heads of Beacon tend to be slightly elongated in the vertical axis. Maturity of Lighthouse and Beacon are similar as determined by solidity measurements. Head size of Lighthouse is larger than Beacon, with a larger circumference. Core height of Lighthouse is higher than the core height of Beacon. (See statistical measurements). The leaf margin of Lighthouse is entire and rounded, most similar to Vanguard. The leaf margin of Beacon is best described as shallowly dentate.

Lighthouse is adapted to a slightly later harvest period than Beacon in the San Joaquin Valley and Imperial Valley of California and Yuma, Arizona. (See Exhibit D for suggested planting dates/harvest dates).

#### EXHIBIT B

#### LIGHTHOUSE

#### **NOVELTY STATEMENT**

Lighthouse is similar to the variety Gabilan; however, Lighthouse is one to two days earlier maturing than Gabilan. Head size of the two varieties is similar, however, head weight of Lighthouse is heavier, and core height is lower than Gabilan. (See statistical comparisons in Exhibit C).

Lighthouse is adapted for fall harvest in the San Joaquin Valley of California from approximately October 20 to November 5. Gabilan is not adapted to fall harvest in the San Joaquin Valley of California.

The variety Gabilan is very susceptible to leaf tissue damage associated with chemicals used to defoliate cotton plants, leaving whitish spots on wrapper and cap leaves. Lighthouse may show occasional spotting as does most varieties harvested in these same time periods.

# PARAGON SEED COMPARY

P.O. Box 1996 Salmas, Ca. 93907 831-753-2100

Beacon vs Lighthouse

Grown on the Tannehill Ranch 201s King City, Ca. Harvest date: 08-15-98													
	Beacon	Light	Beacon	Light	Beacon	Light	Beacon	Light					
		house		house		house		house					
	Solidity	Solidity	Circum	Circum	Weight	Weight	Core Ht	Core Ht					
Count	24	24	24	24	24	24	24	24					
Sum	85.5	83.5	1,132.0	1,155.0	19,300.0	19,825.0	35.75	38.25					
Mean	3.56	3.48	47.17	48.13	804.17	826.04	1.49	1.59					
Maximum Value	4.0	4.0	48.0	50.0	875.0	900.0	2.00	2.00					
Minimum Value	3.0	3.0	46.0	46.5	725.0	750.0	1.25	1.50					
Variance	0.14	0.10	0.60	0.77	1,449.28	1,656.48	0.04	0.02					
Std.Dev	0.37	0.31	0.78	0.88	38.07	40.70	0.20	0.14					
Joint Variance	****	0.12	****	0.68	****	1,552.88	****	0.03					
Jt Deg of Freedom	****	46	****	46	****	46	****	46.00					
t-Test Parameter	****	0.843	****	4.014	****	1.923	****	2.06					
Level of Significance	****	.4037	skolalaki	.0002	skolokolok	.0607	statolatate	.0451					
Confidence Level %	****	59.634	****	99.978	****	93.931	****	95.49					
	1 to 5	1 to 5	CM'S	CM'S	Grams	Grams	Inches	Inches					
MEASUREMENTS	4.0	3.0	47.0	48.5	875	875	1.50	1.75					
FOR	4.0	3.0	48.0	48.0	775	825	1.50	1.50					
SAMPLES	3.5	3.5	47.5	50.0	800	875	2.00	2.00					
	3.0	3.5	46.0	48.0	750	800	1.50	1.50					
Solidity measured	3.5	3.5	48.0	47.5	800	750	1.25	1.50					
on a scale of	3.0	3.5	48.0	49.0	775	825	1.25	1.50					
1 to 5	3.0	3.5	46.5	49.0	825	800	1.50	1.50					
	3.0	4.0	48.0	48.0	850	775	1.75	1.50					
Note:	3.5	3.5	47.0	48.5	775	825	1.50	1.50					
The Level of	4.0	3.0	47.5	47.0	850	800	1.50	1.75					
Significalitie is	3.0	3.0	47.0	46.5	800	775	1.50	1.50					
	3.5	3.5	48.0	48.0	725	750	1.50	1.50					
using Excel 5's	4.0	3.5	46.0	48.5	850	875	1.25	1,50					
2-tailsype/2	3.5	3.5	46.5	47.5	800	850	1.50	1.75					
built in T-test	3.5	4.0	48.0	47.0	775	850	1.25	1.50					
- duricken directors	4.0	3.0	48.0	48.0	850	825	1.50	1.50					
over the	4.0	3.5	47.0	48.5	825	850	···	1.75					
	3.5	4.0	46.5	47.5	800	825	1.25	1.50					
·	3.5	3.5	48.0	48.0	800	875	1.25	1.50					
	4.0	3.5	48.0	48.0	825	850	1.50	1.75					
	3.5	4.0	47.0	47.0	775	850	1.50	1.50					
	3.5	3.5	46.0	48.0	800	800	2.00	1.75					
	4.0	3.5	46.5	50.0	750	800	1.50	1.75					
	3.5	3.5	46.0	49.0	850	900	1.50	1.50					

					B						

PiO Box 1906 Salinas, Ca 93902 408-753-2100												
		Beacon	vs Lightl	nouse								
Grown on Diener	Ranch,	Huron,	Ca.		Harvest o	iate -: O	ctober 3	0,1997				
	Beacon	Light-	Beacon	Light-	Beacon	Light-	Beacon	Light-				
		house		house		house		house				
	Solidity	Solidity	Circum	Circum	Weight	Weight	Core Ht	Core Ht				
Count	24	24	24	24	24	24	24	24				
Sum	73.5	73.5	1,109.7	1,119.0	18,075.0	18,650.0	26.50	33.75				
Mean	3.06	3.06	46.24	46.63	753.13	777.08	1.10	1.41				
Maximum Value	3.5	3.5	48.0	48.0	825.0	825.0	1.50	1.75				
Minimum Value	3.0	3.0	44.0	45.0	675.0	725.0	1.00	1.00				
Variance	0.03	0.03	0.82	0.55	1,593.07	919.38	0.04	0.05				
Std.Dev	0.17	0.17	0.91	0.74	39.91	30.32	0.21	0.22				
Joint Variance	****	0.03	****	0.69	****	1,256.23	****	0.05				
Jt Deg of Freedom	****	46	****	46	****	46	****	46.00				
t-Test Parameter	****	0.000	****	1.614	<del>                                     </del>	2.342	****	4.91				
Level of Significance	****	1.0000	****	0.1134	****	0.0236	****	0.0000				
Confidence Level %	****	0.000	****	88.658	****	97.641	****	100.00				
	1 to 5	1 to 5	CM'S	CM'S	Grams	Grams	Inches	inches				
MEASUREMENTS	3.0	3.0	46.2	46.5	700	825	1.00	1.50				
FOR	3.0	3.0	46.0	47.0	800	800	1.00	1.50				
SAMPLES	3.0	3.0	45.5	47.0	775	775	1.00	1.50				
	3.0	3.5	44.0	47.5	750	800	1.00	1.50				
Solidity measured	3.0	3.0	45.0	46.0	800	775	1.00	1.00				
on a scale of	3.0	3.0	47.0	47.0	825	800	1.50	1.50				
1 to 5	3.0	3.0	48.0	47.0	750	725	1.00	1.00				
	3.0	3.0	46.0	46.0	700	750	1.00	1.50				
Water	3.0	3.0	46.0	47.5	725	825	1.00	1.50				
The evel of	3.5	3.0	47.0	45.0	750	725	1.50	1.00				
Significance is	3.0	3.0	47.0	46.0	725	800	1.50	1.50				
determined by	3.0	3.0	47.0	45.0	750	750	1.00	1.50				
Heing Exer i 5 s	3.0	3.0	46.0	46.0	750	775	1.00	1.50				
2-tail type-2	3.0	3.5	45.0	47.0	675	800	1.00	1.50				
istail in T-lest	3.0	3.0	46.0	47.0	725	800	1.00	1.50				
uncless diserting	3.0	3.0	47.0 45.0	46.5	750	800 775	1.00	1.50				
over the	3.0	3.0	45.0	47.0	725 750	775	1.00	1.50				
ranges of data	3.0	3.0 3.5	46.0 47.0	46.0 47.0	750 935	750 750	1.00 1.50	1.00 1.50				
	3.0	3.0	47.0	47.0	825 750	750 800	1.00	1.75				
	3.0	3.0				750	1.00					
			47.0	47.0	725		l	1.50				
	3.0	3.0	46.0	46.0	750	725	1.00	1.00				
	3.5	3.0	47.0	47.0	825 775	800 775	1.50	1.50				
	3.0	3.0	46.0	47.0	775	775	1.00	1.50				

	1	36.		题		3		'n	1	Y.		ŧ			73		鷉	<b>1</b>		誾	影准		繝.	THE	1 1	ř
	U M	Will.	100	美州	2년 년. 구선왕	16	9	人幣	.8		4		ø	鐊		飋	犪	調廳	權	点		蜡	翻載	<b>1</b>	嫐	蕨
iii							2				hinto	a and						9139	PUM					86		ŀ

P.O. Box 1966 Samas Ca. 93902: 408.753 2100

Cassia en Torre		_	: Lighth	ouse vs		data e le	.iv 04 44	
Grown on Tanne	niii Kand Beacon	in, King Light	Beacon	Light	Harvest o	Light	Beacon	Light
	Beacon	house	Deacoil	house	Deacon	house	Beacon	house
	Solidity	Solidity	Circum	Circum	Weight	Weight	Core Ht	Core Ht
Count	24	24	24	24	24	24	24	24
Sum	90.5	99.5	1,074.5	1,072.5	17,850.0	18,075.0	24.25	24.50
Mean	3.77	4.15	44.77	44.69	743.75	753.13	1.01	1.02
Maximum Value	4.0	5.0	46.0	48.0	825.0	825.0	1.25	1.25
Minimum Value	3.0	3.5	43.0	43.0	675.0	675.0	1.00	0.75
Variance	0.11	0.18	0.70	1.65	1,644.02	1,864.81	0.00	0.01
Std.Dev	0.33	0.43	0.83	1.28	40.55	43.18	0.05	0.10
Joint Variance	****	0.15	****	1.17	****	1,754.42	****	0.01
Jt Deg of Freedom	****	46	****	46	****	46	****	46.00
t-Test Parameter	****	3.396	****	0.267	****	0.775	****	0.45
Level of Significance	****	0.0014	****	0.7909	****	0.4421	****	0.6568
Confidence Level %	****	99.858	****	20.910	****	55.790	****	34.32
	1 to 5	1 to 5	CM'S	CM'S	Grams	Grams	Inches	Inches
MEASUREMENTS	3.5	4.0	44.0	43.0	675	700	1.00	1.00
FOR	4.0	4.0	45.0	44.0	700	675	1.00	0.75
SAMPLES	3.5	5.0	44.0	44.0	700	725	1.00	1.00
	4.0	4.0	46.0	43.0	750	775	1.00	1.00
Solidity measured	4.0	4.0	45.0	45.0	750	750	1.00	1.00
on a scale of	3.5	5.0	45.0	44.0	725	725	1.00	1.00
1 to 5	4.0	5.0	46.0	46.0	750	775	1.00	1.00
	4.0	4.0	44.0	48.0	725	800	1.00	1.00
Note:	4.0	4.0	43.0	44.0	775	700	1.00	1.00
The Level of	4.0	3.5	44.0	44.0	775	725	1.00	1.00
Significance is	3.5	4.0	45.5	43.0	675	700	1.00	1.00
determined by	4.0	4.0	45.0	45.0	725	800	1.00	1.00
using Excel 5's	4.0	4.0	45.5	45.0	825	825	1.00	1.00
24all type 2	4.0	3.5	45.5	46.0	800	825	1.00	1.25
builtin T-lest	4.0	4.0	44.0	45.0	750	775	1.00	1.25
jungion directly	3.0	4.0	46.0	46.0	775	775	1.00	1.00
over the	4.0	4.0	44.0	43.0	700	700	1.00	1.00
ranges of data	4.0	4.5	45.0	45.0	725	725	1.00	1.00
ત્રા ત્રા માત્રા કરવા છે. ત્રા પાંચ વાળ ત્રાવ તાર ભારત ને વાળ ભારત ને વાળ	4.0	5.0	43.5	44.0	800	775	1.00	1.00
,	4.0	4.0	45.0	46.0	775	750	1.00	1.00
	3.5	4.0	45.0	43.0	725	750	1.00	1.00
	3.5	4.0	44.0	45.0		800	1.00	1.25
	3.5	4.0	45.5	45.5	725	725	1.25	1.00
	3.0	4.0	45.0	46.0	725	,800	1.00	1.00

# PARAGON SEED COMPANY

es nue segunte con resultar actorización de la contractica del la contractica del la contractica de la contractica de la contractica del la contractica de la contractica de la contractica del la contra

वर्षः ज्ञान्त्रविद्यास्य विद्याच्यात्राक्षास्य विद्याच्यात्राक्षास्य विद्याच्यात्राक्षास्य विद्याच्यात्राक्षास्य	Afrik Banka chishe chanaca	runantantantantantan	en vs Ligl	on mental and an analysis of the			e i en	USAN SILYAN KATANISAN SAN
Grown on Diener	Ranch	, Huron	Ca		Harvest (	date-: Oc	tober 30	), <u>1997</u>
	Fall-	Light-	Fali-	Light-	Fall-	Light-	Fall-	Light-
	green	house	green	house	green	house	green	house
	Solidity	Solidity	Circum	Circum	Weight	Weight	Core Ht	Core Ht
Count	24	24	24	24	24	24	24	24
Sum	70.0	73.0	1,048.0	1,119.0	16,750.0	18,650.0	25.00	33.75
Mean	2.92	3.04	43.67	46.63	697.92	777.08	1.04	1.41
Maximum Value	3.0	3.5	45.0	48.0	725.0	825.0	1.50	1.75
Minimum Value	2.5	3.0	42.0	45.0	675.0	725.0	1.00	1.00
Variance	0.04	0.02	0.75	0.55	375.91	919.38	0.02	0.05
Std.Dev	0.19	0.14	0.87	0.74	19.39	30.32	0.14	0.22
Joint Variance	****	0.03	****	0.65	****	647.64	****	0.03
Jt Deg of Freedom	****	46	****	46	****	46	****	46.00
t-Test Parameter	****	2.584	****	12.699	****	10.776	****	6.86
Level of Significance	****	0.0130	****	0.0000	****	0.0000	****	0.0000
Confidence Level %	****	98.700	****	100.000	****	100.000	****	100.00
	1 to 5	1 to 5	CM'S	CM'S	Grams	Grams	Inches	Inches
MEASUREMENTS	2.5	3.0	44.0	46.5	675	825	1.00	1.50
FOR	3.0	3.0	45.0	47.0	700	800	1.00	1.50
SAMPLES	3.0	3.0	44.0	47.0	675	775	1.00	1.50
	3.0	3.5	45.0	47.5	700	800	1.00	1.50
Solidity measured	3.0	3.0	44.0	46.0	700	775	1.00	1.00
on a scale of	2.5	3.0	43.0	47.0	675	800	1.00	1.50
1 to 5	2.5	3.0	44.0	47.0	725	725	1.00	1.00
	3.0	3.0	45.0	46.0	700	750	1.00	1.50
Notes	3.0	3.0	44.0	47.5	675	825	1.50	1.50
The Level of 1	3.0	3.0	43.0	45.0	700	725	1.00	1.00
Significance is	3.0	3.0	42.0	46.0	675	800	1.00	1.50
determined by	3.0	3.0	44.0	45.0	725	750	1.50	1.50
Heing Gircel (Fe	3.0	3.0	43.0	46.0	675	775	1.00	1.50
2-fall type 2	3.0	3.5	43.0	47.0	700	800	1.00	1.50
buitin Tast	3.0	3.0	42.0	47.0	725	800	1.00	1.50
function directly	3.0	3.0	43.0	46.5	·	800	<del></del>	1.50
cyer the	2.5	3.0	43.0	47.0	675	775	1.00	1.50
(aliges of data,	3.0	3.0	43.0	46.0	700	750	1.00	1.00
	3.0	3,0	44.0	47.0	725	750	1.00	1.50
	3.0	3.0	44.0	48.0	700	800	1.00	1.75
	3.0	3.0	44.0	47.0	725	750	1.00	1.50
	3.0	3.0	43.0	46.0	675	725	1.00	1.00
	3.0	3.0	44.0	47.0	700	800	1.00	1.50
	3.0	3.0	45.0	47.0	725	775	1.00	1.50

	PAR				(C. (3) [V]		Y			i gr	
以下,可以是一种,可以不可以不可以不可以不可以不可以不可以不可以不可以不可以不可以不可以不可以不可	al total subsiderable subsiderable	and the second contract of the second of the	use vs F	AND THE PROPERTY OF THE PROPER			occupation and conscious and constitution and constitutio				
Grown on Rio R	anch				Harvest	date-: A	ugust 7,	1997			
	Light	Fali-	Light	Fall-	Light	Fall-	Light	Fall-			
	house	green	house	green	house	green	house	green			
	Solidity	Solidity	Circum	Circum	Weight	Weight	Core Ht	Core Ht			
Count	24	24	24	24	24	24	24	24			
Sum	69.0	58.0	1,105.0	1,066.0	14,350.0	12,250.0	29.20	25.25			
Mean	2.88	2.42	46.04	44.42	597.92	510.42	1.22	1.05			
Maximum Value	4.0	3.0	50.0	49.0	750.0	675.0	2.00	1.50			
Minimum Value	2.0	2.0	44.0	39.0	450.0	350.0	1.00	1.00			
Variance	0.24	0.21	2.13	5.38	9,071.56	9,234.60	0.07	0.02			
Std.Dev	0.49	0.46	1.46	2.32	95.24	96.10	0.26	0.13			
Joint Variance	****	0.23	****	3.76	****	9,153.08	****	0.04			
Jt Deg of Freedom	****	46	****	46	****	46	****	46.00			
t-Test Parameter	****	3.330	****	2.904	****	3.168	****	2.80			
Level of Significance	****	0.0017	****	0.0056	****	0.0027	****	0.0075			
Confidence Level %	****	99.828	****	99.436	****	99.728	****	99.25			
,	1 to 5	1 to 5	CM'S	CM'S	Grams	Grams	Inches	Inches			
MEASUREMENTS	2.0	2.0	46.0	45.0	475	400	1.00	1.00			
FOR	2.5	3.0	46.0	44.0	525	525	1.00	1.00			
SAMPLES	4.0	3.0	47.0	44.0	725	475	1.50	1.00			
	2.0	3.0	45.0	44.0	475	525	1.00	1.00			
Solidity measured	3.0	2.5	46.0	44.0	625	525	1.00	1.00			_
on a scale of	3.0	2.5	46.0	49.0	675	625	2.00	1.00		,	
1 to 5	2.5	2.0	46.0	47.0	525	400	1.20	1.00	-		
	2.0	3.0	45.0	46.0	475	625	1.00	1.00			
Note	3.0	3.0	46.0	43.0	675	575	1.00	1.00			
The Level of	3.0	3.0	44.0	45.0	675	625	1.50	1.00			_
Significance is	3.0	2.5	46.0	46.0	525						
determines by	2.0	2.0				625	1.00	1.00			<del></del>
AND REPORT OF THE PARTY OF THE			45.0	43.0	475	450	1.00	1.25			_
using Excel 5 s	3.0	3.0	46.0	48.0		675 675		1.00			
7-mi tyr-7	3.0	3.0	48.0	45.0	525	675	1.25	1.00			
bianting Telesco	3.0	2.0	46.0	45.0		450	1.25	1.50			_
figures of the sty	3.5	2.0	45.0	43.0	525	450	1.25	1.25		-	
over the	3.0	2.0	45.0	46.0	625	475	1.00	1.00			
	3.0	2.0	44.0	40.0	675	350	1.00	1.00			
	3.5	2.0	45.0	46.0	750	575	1.50	1.00			
	3.0	2.5	49.0	45.0	725	475	1.25	1.00			
	3.0	2.0	45.0	41.0	625	450	1.00	1.00		-	
	3.0	2.0	46.0	39.0	625	350	1.25	1.00			
	3.0	2.0	50.0	43.0	625	475	1.50	1.00			
	3.0	2.0	48.0	44.0	725	475	1.50	1.00			
						1					
	į			1	1	.	ļ	İ		1	

Varieties: Gabilan vs Lighthouse

Grown on Tanne	nill Ranch, King City				Harvest date: 09-10-98			
	Gabilan	Light	Gabilan	Light	Gabilan	Light	Gabilan	Light
		house		house		house		house
	Solidity	Solidity	Circum	Circum	Weight	Weight	Core Ht	Core Ht
Count	24	24	24	24	24	24	24	24
Sum	83.5	88.5	1,103.0	1,081.5	19,150.0	19,875.0	29.50	24.25
Mean	3.48	3.69	45.96	45.06	797.92	828.13	1.23	1.01
Maximum Value	4.0	4.0	48.0	47.0	900.0	925.0	1.50	1.25
Minimum Value	3.0	3.0	44.0	44.0	725.0	750.0	1.00	1.00
Variance	0.16	0.13	1.24	0.70	2,495.47	1,701.77	0.06	0.00
Std.Dev	0.40	0.36	1.11	0.84	49.95	41.25	0.25	0.05
Joint Variance	****	0.14	****	0.97	****	2,098.62	****	0.03
Jt Deg of Freedom	****	46	****	46	****	46	****	46.00
t-Test Parameter	****	1.899	****	3.151	****	2.284	****	4.13
Level of Significance	****	0.0639	****	0.0029	****	0.0270	****	0.0002
Confidence Level %	****	93.611	****	99.714	****	97.298	****	99.98
	1 to 5	1 to 5	CM'S	CM'S	Grams	Grams	inches	Inches
MEASUREMENTS	4.0	3.5	46.0	47.0	900	850	1.50	1.00
FOR	4.0	4.0	45.0	45.0	875	850	1.50	1.00
SAMPLES	3.5	4.0	46.0	44.0	800	825	1.50	1.00
	4.0	3.5	47.0	44.5	850	825	1.00	1.00
Solidity measured	3.5	4.0	47.0	45.5	775	850	1.00	1,00
on a scale of	3.5	3.0	48.0	44.0	750	800	1.50	1.00
1 to 5	3.0	3.5	44.0	44.0	750	850	1.50	1.00
	3.0	4.0	46.0	44.5	725	800	1.00	1.00
, Note:	3.5	3.5	46.0	44.5	775	750	1.00	1.00
The Avelor	4.0	3.0	46.0	44.0	800	775	1.00	1.00
Sunificances	3.5	3.5	45.0	46.0	750	825	1.50	1.00
defeat direction	3.0	3.5	48.0	46.0	775	775	1.50	1.00
L Helling Street St.	3.0	4.0	45.0	45.0	725	825	1.50	1.00
2-tai (tupe 2	3.5	3.5	46.0	44.5	775	800	1.00	1.00
builtin lites;	3.0	3.0	46.5	44.0	750	850	1.00	1.00
Tunction directly	3.0	3.5	47.0	45.0	775	775	1.00	1.00
over the	4.0	4.0	44.5	45.5	825	825	1.50	1.00
	3.5	4.0	46.0	45.0	800	825	1.50	1.00
	4.0	3.5	44.0	46.0	825	875	1.00	1.00
	3.5	4.0	47.0	45.5	850	825	1.00	1.00
	3.0	4.0	45.0	46.0	800	925	1.00	1.00
	3.5	4.0	47.0	44.5	825	800	1.50	1.00
	4.0	4.0	46.0	45.5	900	875	1.00	1.00
	3.0	4.0	45.0	46.0	775	900	1.00	1.25

## ene varatazotokari il militorokatazaka

P.C. Box 1996 Salmas, Ca. 93902 831-753-2190

Gabitan vs Lighthouse

Grown on the Tannehill Ranch 201s King City, Ca			ity, Ca.	Harvest	date : 0	8-15-98	,	
	Gabilan	Light	Gabilan	Light	Gabilan	Light	Gabilan	Light
		house		house		house		house
· :	Solidity	Solidity	Circum	Circum	Weight	Weight	Core Ht	Core Ht
Count	24	24	24	24	24	24	24	24
Sum	78.0	83.5	1,167.5	1,155.0	18,775.0	19,825.0	42.50	38.25
Mean	3.25	3.48	48.65	48.13	782.29	826.04	1.77	1.59
Maximum Value	4.0	4.0	51.0	50.0	850.0	900.0	2.00	2.00
Minimum Value	3.0	3.0	46.0	46.5	725.0	750.0	1.50	1.50
Variance	0.11	0.10	1.40	0.77	1,276.04	1,656.48	0.04	0.02
Std.Dev	0.33	0.31	1.18	0.88	35.72	40.70	0.21	0.14
Joint Variance	****	0.10	****	1.08	****	1,466.26	****	0.03
Jt Deg of Freedom	****	46	****	46	****	46	****	46,00
t-Test Parameter	****	2.473	****	1.733	****	3.958	****	3.44
Level of Significance	*****	.0171	Makalaini:	.0898	ylakskak:	.0003	Haladak	.0013
Confidence Level %	****	98.285	****	91.019	****	99.974	***	99.87
	1 to 5	1 to 5	CM'S	CM'S	Grams	Grams	Inches	inches
MEASUREMENTS	3.5	3.0	48.0	48.5	850	875	1.75	1.75
FOR	3.0	3.0	47.0	48.0	800	825	2.00	1.50
SAMPLES	3.0	3.5	48.0	50.0	775	875	1.50	2.00
	3.5	3.5	47.5	48.0	725	800	1.75	1.50
Solidity measured	3.0	3.5	49.0	47.5	750	750	1.75	1.50
on a scale of	3.0	3.5	49.0	49.0	725	825	2.00	1.50
1 to 5	3.0	3.5	50.5	49.0	775	800	1.50	1.50
	3.5	4.0	49.0	48.0	725	775	1.75	1.50
Note:	4.0	3.5	48.0	48.5	775	825	2.00	1.50
The Level of	3.5	3.0	49.0	47.0	800	800	2.00	1.75
Similicance is	3,0	3.0	49.5	46.5	725	775	1.50	1.50
determined by	3.0	3.5	46.0	48.0	800	750	1.50	1.50
using Extel 5s	3.0	3.5	48.0	48.5	825	875	1.50	1.50
2-bit-type2	3.5	3.5	46.5	47.5	775	850	2.00	1.75
Built in Tables	3.5	4.0	49.0	47.0	775	850	1.75	1.50
· (wisdondrach)	3.0	3.0	48.0	48.0	800	825	1.50	1.50
over the	3.0	3.5	49.0	48.5	825	850	1.75	1.75
	3.0	4.0	50.0	47.5	775	825	2.00	1.50
	4.0	3.5	49.0	48.0	800	875	2.00	1.50
	3.0	3.5	49.0	48.0	825	850	1.75	1.75
	3.0	4.0	48.5	47.0	775	850	1.50	1.50
	3.5	3.5	51.0	48.0	750	800	2.00	1.75
	3.0	3.5	50.0	50.0	800	800	2.00	1.75
	3.5	3.5	49.0	49.0	825	900	1.75	1.50

7200122

### Prackatelenien in de begenningerel

P.O. Box 1906 Salinas, Ca. 93902 408-753-2100

	Varieties : Gabilan vs Lighthouse							
Grown on Tanne	hill Rand	ch, King	City		Harvest o	date : Ju	y 01, 19	97
	Gabilan	Light	Gabilan	Light	Gabilan	Light	Gabilan	Light
		house		house		house		house
	Solidity	Solidity	Circum	Circum	Weight	Weight	Core Ht	Core Ht
Count	24	24	24	24	24	24	24	24
Sum	83.5	99.5	1,095.5	1,072.5	18,975.0	18,075.0	27.50	24.50
Mean	3.48	4.15	45.65	44.69	790.63	753.13	1.15	1.02
Maximum Value	4.0	5.0	48.0	48.0	850.0	825.0	1.50	1.25
Minimum Value	3.0	3.5	43.0	43.0	700.0	675.0	0.75	0.75
Variance	0.18	0.18	2.10	1.65	1,511.55	1,864.81	0.05	0.01
Std.Dev	0.43	0.43	1.45	1.28	38.88	43.18	0.22	0.10
Joint Variance	****	0.18	****	1.87	****	1,688.18	****	0.03
Jt Deg of Freedom	****	46	****	46	****	46	****	46.00
t-Test Parameter	****	5.379	****	2.426	****	3.162	****	2.52
Level of Significance	****	0.0000	****	0.0193	****	0.0028	****	0.0151
Confidence Level %	****	100.000	****	98.075	****	99.722	****	98.49
	1 to 5	1 to 5	CM'S	CM'S	Grams	Grams	Inches	Inches
MEASUREMENTS	3.5	4.0	48.0	43.0	825	700	1.50	1.00
FOR	4.0	4.0	46.0	44.0	700	675	1.25	0.75
SAMPLES	4.0	5.0	48.0	44.0	825	725	1.50	1.00
	4.0	4.0	46.0	43.0	775	775	1.00	1.00
Solidity measured	4.0	4.0	46.5	45.0	825	750	1.50	1.00
on a scale of	3.0	5.0	44.0	44.0	750	725	1.25	1.00
1 to 5	3.0	5.0	45.0	46.0	775	775	1.00	1.00
	3.0	4.0	46.0	48.0	750	800	1.00	1.00
Note:	3.5	4.0	44.0	44.0	825	700	1.00	1.00
The Level of	3.5	3.5	44.0	44.0	800	725	1.00	1.00
Significanceis	3.0	4.0	48.0	43.0	775	700	1.00	1.00
determined by	3.5	4.0	46.0	45.0	825	800	1.25	1.00
using Excel Es.	4.0	4.0	45.0	45.0	850	825	1.50	1.25
2 tail type 2	3.0	3.5	44.0	46.0	775	825	1.25	1.25
bult in T-test	4.0	4.0	45.0	45.0	775	775	1.00	1.00
function directly	4.0	4.0		46.0	t	775		1.00
overfile .	4.0	4.0	46.0	43.0	775	700	<del></del>	1.00
pares a data	3.5	4.5	44.0	45.0	825	725	1.00	1.00
	3.0	5.0	43.0	44.0	825	775	0.75	1.00
İ	3.0	4.0	46.0	46.0	775	750	1.00	1.00
	3.0	4.0	46.0	43.0	800	750	1.00	1.00
1	3.5	4.0	45.0	45.0	825	800	1.00	1.25
	3.5	4.0	47.0	45.5	800	725	1.25	1.00
-	3.0	4.0	45.0	46.0	700	800	1.00	1.00

		<b>M</b>		l A	Mal		NAT
Bir.	and representation	AND STATE OF STATE	PROGRAMME BILL STREET	The Hell Hell Wilder Stell	1910 TABLE 1910	विशेष्ट्राध्याक्षण्यात्रीव	

P.C. Box 1906 Salmas, Ga. 93902 831-753-2100

			A, on 175	ann paring per later extern	ulo esta esta esta esta			
Grown on the Tar	nehill R	anch 20	1s		Harvest	date : 0	8-15-98	
	Beacon	Gabilan	Beacon	Gabilan	Beacon	Gabilan	Beacon	Gabilan
	Solidity	Solidity	Circum	Circum	Weight	Weight	Core Ht	Core Ht
Count	24	24	24	24	24	24	24	24
Sum	85.5	78.0	1,132.0	1,167.5	19,300.0	18,775.0	35.75	42.50
Mean	3.56	3.25	47.17	48.65	804.17	782.29	1.49	1.77
Maximum Value	4.0	4.0	48.0	51.0	875.0	850.0	2.00	2.00
Minimum Value	3.0	3.0	46.0	46.0	725.0	725.0	1.25	1.50
Variance	0.14	0.11	0.60	1.40	1,449.28	1,276.04	0.04	0.04
Std.Dev	0.37	0,33	0.78	1.18	38.07	35.72	0.20	0.21
Joint Variance	****	0.12	****	1.00	****	1,362.66	****	0.04
Jt Deg of Freedom	****	46	****	46	****	46	****	46.00
t-Test Parameter	****	3.087	****	5.120	****	2.053	****	4.76
Level of Significance	****	.0034	slešalešak	.0000	skokokok	.0458	skolokok:	.0000
Confidence Level %	****	99.658	****	99.999	****	95.419	****	100.00
							i	
	1 to 5	1 to 5	CM'S	CM'S	Grams	Grams	Inches	Inches
MEASUREMENTS	4.0	3.5	47.0	48.0	875	850	1.50	1.75
FOR	4.0	3.0	48.0	47.0	775	800	1.50	2.00
SAMPLES	3.5	3.0	47.5	48.0	800	775	2.00	1.50
}	3.0	3.5	46.0	47.5	750	725	1.50	1.75
Solidity measured	3.5	3.0	48.0	49.0	800	750	1.25	1.75
on a scale of	3.0	3.0	48.0	49.0	775	725	1.25	2.00
1 to 5	3.0	3.0	46.5	50.5	825	775	1.50	1.50
	3.0	3.5	48.0	49.0	850	725	1.75	1.75
Notes	3.5	4.0	47.0	48.0	775	775	1.50	2.00
The lievel of	4.0	3.5	47.5	49.0	850	800	1.50	2.00
Significance is	3.0	3.0	47.0	49.5	800	725	1.50	1.50
depriment of	3.5	3.0	48.0	46.0	725	800	1.50	1.50
Using Excel 54	4.0	3.0	46.0	48.0	850	825	1.25	1.50
2-tall type 2	3.5	3.5	46.5	46.5	800	775	1.50	2.00
	3.5	3.5	48.0	49.0	775	775	1.25	1.75
function directly	4.0	3.0		48.0		800		1.50
over the	4.0	3.0	47.0	49.0	825	825	1.50	1.75
	3.5	3.0	46.5	50.0	800	775	1:25	2.00
	3.5	4.0	48.0	49.0	800	800	1.25	2.00
	4.0	3.0	48.0	49.0	825	825	1.50	1.75
	3.5	3.0	47.0	48.5	775	775	1.50	1.50
	3.5	3.5	46.0	51.0	800	750	2.00	2.00
	4.0	3.0	46.5	50.0	750	800	1.50	2.00
	3.5	3.5	46.0	49.0	850	825	1.50	1,75

	FAR T	PiO, Bex		is Ca. 939	02 831-753	die de de la c	ľ		
	Beacon vs Gabilan								
Grown on the Tan			8		Harvest	date : (	)8-05-98	T	
	Beacon	Gabilan	Beacon	Gabilan	Beacon	Gabilan	Beacon	Gabilan	
	0.537	0 5 5	<u> </u>		386 1 1 6				
	Solidity	Solidity	Circum	Circum	Weight	Weight	Core Ht		
Count	24	24	24	24	l	24	IJ <u></u>	24	
Sum	84.5	76.5	1,133.5	1,162.5	l	19,075.0	1}	1	
Mean	3.52	3.19	47.23	48.44	828.13	794.79	11	1.90	
Maximum Value	4.0	3.5	49.0	51.0	900.0	850.0	1	2.00	
Minimum Value	2.5	2.5	45.5	46.5	700.0	700.0	ļ		
Variance	0.14	0.08	0.96	0.85	2,027.85	1,303.22	il	0.04	
Std.Dev	0.38	0.29	0.98	0.92	45.03	36.10		0.19	
Joint Variance Jt Deg of Freedom	****	0.11	****	0.91	****	1,665.53	****	0.02	
t-Test Parameter	*****	46	****	46	****	46	****	46.00	
Level of Significance	****	3.452	alcolotick:	4.399	Motodoloi:	2.829	induind.	8.84	
Confidence Level %	****	.0012 99.880	****	.0001	****	.0069	****	.0000	
Comidence Level %		99,000		99,994		99.311		100.00	
	1 to 5	1 to 5	CM'S	ONIO	C	0			
MEACUDEMENTO				CM'S	Grams	Grams	Inches	Inches	
MEASUREMENTS FOR	4.0	3.5	48.0	49.0	900	800	1.50	2.00	
SAMPLES	3.5	3.0	48.5	49.5	825	825	1.50	2.00	
SAIWPLES	3.0	3.0	47.0	48.0	800	800	1.50	2.00	
Solidity measured	3.5	3.5	48.0	48.5	850	825	1.50	2.00	
on a scale of	4.0	3.0	46.0	49.0	875	725	1.75	1.50	
on a scale of	3.5	3.0 3.5	47.0	48.5	850	700	1.50	2.00	
	4.0 3.5	3.0	46.5	51.0	875	800	1.50	2.00	
Notes	3.5	3.0	48.0 46.5	49.0	850	775	1.50	2.00	
The Level of	3.5	3.0		48.0	825	800	1.50	2.00	
Significance	3.5	3.0	48.0 49.0	48.5 48.0	850 800	825	1.50	2.00	
geterrined by	4.0	3.0	48.0	47.0	900	800 825	1.50	2.00	
using Expelle	3.5	3.5	48.0	47.0	825	800	1.50 1.50	2.00	
2-tall type 2	3.5	2.5	47.5	48.0	825	725		2.00	
built in Talest	3.5	3.0	48.0	48.0	850	800	1.25	2.00	
Sanction directly	3.0	3.0	46.0	48.0	775	775	1.50	2.00	
overthe	3.0	3.5	45.5	46.5	750	825	1.50	2.00	
ranges of Cata	3.5	3.5	47.0	48.0	800	800	1.50	1.75	
	3.5	3.0	46.0	48.0	825	775	1.50	1.75	
	2.5	3.5	48.0	48.5	700	825	1.50	1.75	
<b> </b>  -	3.5	3.0	46.0	49.0	825	800	1.50	1.73	
	3.5	3.5	48.0	49.5	800	850	1.50	2.00	
<u> </u>	4.0	3.5	46.0	48.0	850	775	1.75	1.50	
-	4.0	3.5	47.0	47.5	850				
<u>l</u>	4.0	3.3	47.0	47.5	გეს	825	1.50	2.00	

# U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE DIVISION

# OBJECTIVE DESCRIPTION OF VARIETY LETTUCE Lactuca sativa

NAME OF APPLICANT (S) Paragon Seed, Inc.		FOR OFFI	CIAL USE ONLY
ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code)		PVPO NUMBER	900122
507 Abbott Street	•	VARIETY NAME	000200
	07004	<u> </u>	ghthouse
Salinas, California	a 93901 	EXPERIMENTAL DE	F 5117
Place numbers in the boxes for the characters which best describe this spaced plants. Royal Horticultural Society or any recognized color s	s variety. Measured data should b tandard may be used to determine	e the mean of an appropriate plant colors.	number (at least 10) of we
The location of the test area is: King City, Ca.	Color System Used	: Royal Horticu	ltural Societ
1. PLANT TYPE: (See list of suggested check varieties page 4.)			
01=Cutting/Leaf 05=Great Lake 02=Butterhead 06=Vanguard 03=Bibb 07=Imperial Gr 04=Cos or Romaine 08=Eastern (Ith	Froup 10=Latin oup 11=OTHER		
2. SEED: COLOR LIGHT DO  1-White (Silver Gray)		T DORMANCY	
1 2=Black (Gray Brown) 2 1=Light Rec 3=Brown (Amber) 2 2=Light No	1 1 1 1-50	sceptible ; et Susceptible	
3. COTYLEDON TO FOURTH LEAF STAGE: NOTE: Provide a common und	olor photograph or photocopy of er optimal conditions.	the fourth leaf from 20 day o	old seedling
m   muses as as many means	2=Intermediate 3=Spati	ulatė	
3 SHAPE OF FOURTH LEAF:  1 2 3	4	5 6	
2 0 LENGTH/WIDTH INDEX OF FOURTH LEAF: L/W	× 10		****
APICAL MARGIN: 1=Entire	4=Moderately Dentate	7=Lobed	
3 BASAL MARGIN: 2*Creanate/Griawed 3*Finely Dentate	5=Coarsely Dentate 6=Incised	8=OTHER (specify)	
,			
2 UNDULATION: 1-Flat	2=Slight	3=Medium	4=Marked
GREEN COLOR: 1=Yellow Green 2=Light Green	3=Medium Green 4=Dark Green	5=Blue Green 6=Silver Green	7=Gray Green
ANTHOCYANIN:			
DISTRIBUTION: 1=Absent 2=Margin Only	3=Spotted 4=Throughout	5=OTHER (specify)	
O CONCENTRATION: 1-Light	2=Moderate .	· 3=Intense	
AOLLING: 1-Absent	2=Present		
2 CUPPING: 1=Uncupped	2=Slight	3=Markedly	**************************************
REFLEXING: 1-None	2=Apical Margin	3≈Lateral Margins	

	IE LEAVES (observe harvest-math Provide color photo of hervest-m		ely shows color and our		9900122
	MARGIN:		ory shows color and many	ym Characteristics.	
. [	INCISION DEPTH: Ideepest penetration of t	1=Absent/Shallow (Dai he margin)	k Green Boston) 2-Mo	oderate (Vanguard)	3=Deep (Great Lakes 659)
4	INDENTATION:  (finest divisions of the margin	1=Entire (Dark Green E 2=Shallowly Dentate (C		eply Dentate (Great Lakes 659) enate (Vanguard)	5-OTHER (specify)
2	UNDULATION OF THE APICAL MARGIN:	1=Absent/Slight (Dark	Green Boston) 2=Mo	oderate (Vanguard)	3-Strong (Great Lakes 659)
4	GREEN COLOR:	1=Very Light Green (Βί 2=Light Green (Μίπετιο		dium Green (Great Lakes) rk Green (Vanguard)	5=Very Dark Green 6=OTHER
	ANTHOCYANIN (grown at o	r below 10 C):			
1	DISTRIBUTION:	1=Absent 2=Margin Only (Big Bos		otted (Calif, Cream Butter) roughout (Prize Head)	5-OTHER (specify)
0.	CONCENTRATION:	1=Light (Iceberg)	2=Mo	derate (Prize Head)	3=Intense (Ruby)
2	SIZE:	1=Small	2=Med	dium	3#Large
1	GLOSSINESS:	1=Dull (Vanguard)	2 <b>-</b> Mo	derate (Salinas)	3=Glossy (Great Lakes)
2	BLISTERING:	1=Absent/Slight (Salinas	) 2 <b>≃</b> Mod	derate (Vanguard)	3=Strong (Prize Head)
2	LEAF THICKNESS:	1=Thin	2=Inte	rmediate	3=Thick
1	TRICHOMES:	1=Absent (smooth)	2=Pres	ent (spiny)	
5. PLANT	at market stage. Choose a compar		or this type.):		
5 0	SPREAD OF FRAME LEAVES	4 8 cm Be	3 C O D	(	
	HEAD DIAMETER (market tr			(specify comparison variet	y)
1 6	cm This Variety	1 5 cm	Beacon	(specify comparison variet	y)
3	HEAD SHAPE:	1=Flattened 2=Slightly Flattened	3=Sphe 4=Elon		5=Non-Heading 6=OTHER
2	HEAD SIZE CLASS:	1=Small	2=Medi	ium	3∞Large
2 4	HEAD COUNT PER CARTON				
7 5 3	HEAD WEIGHT: g This Variety	7 4 3 <sub>9</sub> B	eacon	(specify comparison variety	<i>(</i> )
3		1=Loose 2=Moderate	3≖Firm 4≂Very	Firm	
5. BUTT (bo	ttom of market-trimmed head);				_
2	SHAPE:	1=Slightly Concave	2=Flat		3=Rounded
		=Flattened (Salinas)	2=Mode	rately Raised	3=Prominently Raised (Great Lakes 659)
CORE (sten	n of market-trimmed head):				
3 6	mm Diameter at base of head			<u> 3                                   </u>	
3 6	Ratio of head diameter/core dia	meter	\ \		
4 2	Core height from base of head to mm. This Variety	3 8 mm <u>Be</u>		(specify comparison variety	
BOLTING	(Give First Water Date $04/28$	/ 9 / ): NOTE: First to germinate.	Water Date is the date s This can and often does	eed first receives adequate mois equal the planting date.	r(u/a
	Number of days from First Water				
7 6	This Variety		acon	(specify comparison variety,	,
1		■Very Slow ■Slow	3=Mediu 4=Rapid		5-Very Rapid
9 2	Height of mature seed stalk; cm. This Variety	9 0 cm B	eacon	(specify comparison variety)	7_1

	. 1 1 1	read of Bolter Plant (at wi This Variety	<u> </u>	Beacon	spectfy comparison variety) 9900122
	1 BO	LTER LEAVES:	1=Straight	2=Curved	
	1	MARGIN:	1 = Entire	2=Dentate	
	3	COLOR:	► Light Green	2≃Medium G	reen 3+Dark Green
	2	TER HABIT: TERMINAL INFLORESCENCE:	1=Absent	2=Present	
	2	LATERAL SHOOTS:	1=Absent	2=Present	(
	1	BASAL SIDE SHOOTS:	1=Absent	2=Present	
9. N	AATURITY (earl	iness of harvest-mature he	ad formation):		
	NOTE: Comp	let# this section for at leas	T One season,		
	SEASON	Applic, 1/ #of days	Check 1/ #of days	(	CHECK VARIETY 4
	Spring	8 0	8 0	Beacon	
	Summer	6 8	6 8	Beacon	
İ	Fall	7 5	7 5	Beacon	
l	Winter			not adapted	
Giv	e planting date(s	), and location(s):			
	Spring $oldsymbol{ ilde{p}}$	lant 02-07-9	8 harves	t 04-29-98	Texas Hill, Arizona
	Summer	lant 06-20-9	7 Harves	t 08-28-97	King City , California
	Fall	lant 09-18-9	8 Harves	t 12-02-98	Yuma, Arizona
	Winter		not	adapted	
-	<u>U</u> First water	date to harvest.	2/Fill in check varie	ety name on the appropriate line.	
i. A	DAPTATION:				
	PRIMA	ARY REGIONS OF ADA	PTION (tested and provi	en adapted): (0=Not tested	1=Not Adapted 2=Adapted}
	2 South	west (Calif., Arix, desert)	West Coas	t O Northeast	
	O. Northo	central	0. Southeast	O OTHER	
	SEASO	DN: pring (area <u>Yuma,Aa</u>	izona 1	Yum. 2 Fall (area Hum.	a, Arizona <del>on, Bakersfield</del> , El Centro
	2. s	ummer (area <u>King C</u>	ity, Gilmoy,	Ca. 0 Winter (area	)
	0 GREE	NHOUSE: 0	≠Not tested	1=Not Adapted	2≃Adapted
	1 SOIL T	YPE: 10	Mineral	2=Organic	3=Both

FORM LS-470-1 (9-86)

Page 3 014



11. DISEASES AND STRESS REACTIONS (0-Not tested; 1-Susceptible; 2	-Intermediate; 3-Resistant; 4-Highly resistant; 5-Tolerant);
VIRUS	FUNGAL/BACTERIAL 9900122
0 Big Vein	Corky Root Rot (Pythium Root Rot)
O Lettuce Mosaic	0 Downy Mildew (Races)
O Cucumber Moseic	O Powdery Mildew
O Broad Been Wilt	1 Sclerotinia Rot
O Turnip Mosaic	Bacterial Soft Rot (Pseudomonas spp. & others)
O Beet Western Yellows	O Botrytis (Gray Mold)
O Lett. Infectious Yellows	0 отнея
O Other Virus	oj omen
INSECTS	PHYSIOLOGICAL/STRESS
O Cabbage Loopers	3 Tipbum 0 Salt
0 Root Aphids	3 Heat 3 Brown Rib (Rib Discoloration, Rib Blight)
O Green Peach Aphid	0 Drought 0 OTHER
0 Other Insect	Ocold
	<del></del>
POST HARVE	
	0 Internal Rib Necrosis (Blackheart, Gray Rib, Gray Streak)
0 Russet Sportring	0 Brown Stain
O Rusty Brown Discoloration	
12. BIOCHEMICAL OR ELECTROPHORETIC MARKERS:	
none tested	
13. COMMENTS:	
	en de la companya de la companya de la companya de la companya de la companya de la companya de la companya de La companya de la co
SUGGESTED CHECK	VARIETIES
JJJJJJJ CHECK	·
TYPE	CHECK VARIETY
1) CUTTING/LEAF 2) BUTTERHEAD	SALAD BOWL DARK GREEN BOSTON
3) BIBB 4) COS, OR ROMAINE	BIGG PARRIS ISLAND
5) GREAT LAKES GROUP 6) VANGUARD GROUP	GREAT LAKES 659-700 VANGUARD
7) IMPERIAL GROUP 8) EASTERN GROUP	VIVA ITHACA
9) STEM 10) LATIN	CELTUCE MATCHLESS

Paragon	Seed	Inc
T MINEVII	DOUG.	TIIV,

Iceberg Lettuce Lighthouse

9920120

PVP Number

9900122





Beacon

Lighthouse

Photocopy of the fourth leaf from a 20 day old plant grown under continuous light at 20 degrees C.



Lighthouse Mature head



Lighthouse rosette stage





Lighthouse




Beacon














Lighthouse



Beacon











Lighthouse



Beacon



FIELD PLANTING FALLGREEN DOME VALLEY



2 BEDS LIGHTHOUSE (1 BED CUT) FIELD FALLGREEN DOME VALLEY



LIGHTHOUSE

# Lighthouse

# Additional Description of Variety

Lighthouse is a large framed, large headed vanguard type heading lettuce. Lighthouse seed color is white (silver).


Lighthouse has been tested and found to be adapted to the following production areas:

King City, California	summer/fall harvest
Hollister/Gilroy, California	summer/fall harvest
Huron, California	fall harvest
Imperial Valley of California	fall harvest
Yuma, Arizona	fall harvest

Lighthouse was developed to replace such varieties as Raider, Fallgreen, Gilaben, and Autumn Gold. These are considered "hot-weather" vanguard types, with the ability to head under warm weather conditions with delayed seed stem elongation. Varieties adapted to these conditions must be careful screened for physiological disorders such as tipburn, rib discoloration, and premature bolting. Lighthouse selections were developed to produce heads which are larger than current varieties available, with better internal color, improved leaf texture, and a higher level of heading uniformity for increased yields. All these goals have been met or surpassed with this variety.

## Suggested plant/harvest dates for Lighthouse are as follows:

Area	Plant	Harvest
Salinas Valley / King City	05/28 - 07/10	07/30 - 09/15
Huron, California	08/18 - 08/30	10/20 - 11/05
Imperial Valley, California	09/18 - 09/22	12/01 - 12/15
Yuma, Arizona	09/10 - 09/25	11/20 - 12/10




Paragon Seed, Inc. Huron, California October, 2003

LIGHTHOUSE

**BEACON** 



LIGHTHOUSE



WELLTON




LIGHTHOUSE




WELLTON

LIGHTHOUSE



NINER




BEACON

LIGHTHOUSE



BEACON

LIGHTHOUSE



BEACON

NINER

**GABILAN** 





NINER


**GABILAN** 



LIGHTHOUSE


BEACON

BEACON





LIGHTHOUSE



NINER



BEACON



NINER

#### Paragon Seed, Inc.

#### Lettuce Frame Measurements Lighthouse vs Beacon

# Tannehill Ranch Lot 180N King City, California

Plant: July 10, 2004

Harvest September 18, 2004

# Leaf tip to Leaf tip (cm's)

Lighthouse	Beacon
52	48
50	49
53	47.5
52	48
52	48
52.5	49
52	47.5
51.5	49
53	50.5
52	49
52	48
<u>50.5</u>	<u>48.5</u>
X=51.8	X=48.5

### Salyer Yarwood Ranch Lot 7 Somerton, Arizona

Lighthouse	Beacon
53	49
52	48.5
51.5	50
52	49
52	48.5
50.5	48
52	49
51	50.5
51.5	48.5
52	48
53	49
<u>51</u>	<u>48</u>
X=51.7	X=48.8

9900122

#### STA Laboratories, Longmont, Colorado

This is the output from a genetic analysis program that I used to analyze the three samples from Paragon Seed, Inc. In this report my comments are written in italics. These results are based on the markers we tested.

Pop 1 = Green Leaf (Verde)

Pop 2 = Beacon

Pop 3 = Lighthouse

***	*****************
*	
*	POPULATION GENETIC ANALYSIS
*	Beacon , Lighthouse, and Green Leaf
*	
**	************

Date : 2004/11/30 Time : 9:57:40

Data Description: D0013

Use the table below to compare the samples. For example looking at above the diagonal shows how similar the samples are (based on the markers we tested). Compare pop 1 with pop 2 shows they are 78% genetically identical and so forth. Compare pop 2 with 3 shows they are 94% genetically identical. Compare pop 1 with 3 shows they are 82% genetically identical. Comparing below the diagonal measures how different the samples are. Again these are based on the markers that we tested.

_======	========	=======	
pop ID	1	2	3
1	****	0.7850	0.8224
2	0.2420	****	0.9439
3	0.1955	0.0577	****

Nei's genetic identity (above diagonal) and genetic distance (below diagonal).

The diagram below is a graphical comparison of the three samples we analyzed. The length of the horizontal lines indicates the degree of relatedness between the samples. For example pop 2 and pop 3 have a short horizontal line going to those two populations from the branch point. That means those two samples are more closely related than they are to pop 1 which has a longer horizontal line.

+	pop1
 2	+pop2
+	
	+pop3

\* File Name: dgram3.plt

Between	And		Length
	data this side		
2	popl	•	10.93760
2	1		8.05219
1	pop2		2.88542
1	pop3		2.88542

	=======		
pop ID	1	2	3
1	****	0.7850	0.8224
2	0.2420	****	0.9439
3	0.1955	0.0577	****
=======			

Nei's genetic identity (above diagonal) and genetic distance (below diagonal).



\* File Name: dgram4.plt

Between	And	Length
2	pop1	10.93760
2	1	8.05219
1	pop2	2.88542
1	рорЗ	2.88542

Customer: Paragon Seed, Inc. Contact: John Heintzberger Address: P.O. Box 1906 Salinas, CA 93902 Project: D0013c Report Date: November 10, 2004

Species: Lettuce

STA Laboratories, Inc. 1821 Vista View Drive Longmont, Colorado 80504 (303)651-6417

(303)651-6417 rras@stalabs.com

For each sample (in columns), a "0" is written if the allele is absent for that marker in the sample. If the allele for that marker is present in the sample a "1" is written for that sample. The results are also color coded in that if all three samples have the same allele they are colored the same color. For markers showing differences between samples a different color is used. Analyze the results by comparing individual rows accross the sample columns. Differences are indicated by a different colors being shown in the row accross the samples. These results represent only those markers which showed the same result on two different repetitions. These are results of SRAP markers and thus are random markers in that the exact chromosomal location of the markers is not known.

Reported By:	Manager -	Molecular	Breeding	Services)

	1		Samples	
		Green Leaf	Samples	
Marker	Allele (bp)	Verde	Веасоп	Lighthouse
SRAP-5	460	1	1	1.5
SRAP-6	140	A 1	<b>1</b>	33.39 <b>1</b> 31.35
SRAP-6	163	6. 3 1	1	
SRAP-6	167	0	1	0
SRAP-6	197	1	0	0
SRAP-6	272	1	1	54.21
SRAP-6	286	1	0	0 .
SRAP-6	337	1	1	1
SRAP-6	443	1	1	1
SRAP-6	463	1	0	0
SRAP-6	474	1	1	1
SRAP-7	146	i	1	ī
SRAP-7	181	1	1	1
SRAP-7	200	i	0	1
SRAP-7	232	i	1	1
SRAP-7	239	i	1	i
SRAP-7	251	1	1	1
SRAP-7	293	1	1	1
SRAP-7	308	1	1	1
SRAP-7	343		1	
SRAP-7	378	1 1		1
SRAP-7			1	1
	381	0	1	1
SRAP-7	384	1	1	1
SRAP-7	401	1	1	1
SRAP-7	410	0	1	1
SRAP-7	473	1	1	1
SRAP-7	506	1	1	1
SRAP-7	530	1	0	0
SRAP-7	534	1	1	1
SRAP-8	114	1	1	1
SRAP-8	119	1	1	1
SRAP-8	135	0	1	1
SRAP-8	232	1	1	1
SRAP-8	256	1	1	1
SRAP-8	303	6 0 I	1	i
SRAP-8	335	1	0	0
SRAP-8	350	. i	1	1
SRAP-8	367	1	1	1
SRAP-8	375	1	1	1
SRAP-8	437	1	1	1 22
SRAP-8	441	1	1	1
SRAP-8	441	1	1	1
SRAP-8		1		A to address of a time in a large department.
SKAP-8	485	1	1	1
I				i

9900122

Customer: Paragon Seed, Inc. Contact: John Heintzberger Address: P.O. Box 1906 Salinas, CA 93902 Project: D0013c Report Date: November 10, 2004 Species: Lettuce STA Laboratorics, Inc. 1821 Vista View Drive Longmont, Colorado 80504 (303)651-6417 rras@stalabs.com

For each sample (in columns), a "0" is written if the allele is absent for that marker in the sample. If the allele for that marker is present in the sample a "1" is written for that sample. The results are also color coded in that if all three samples have the same allele they are colored the same color. For markers showing differences between samples a different color is used. Analyze the results by comparing individual rows accross the sample columns. Differences are indicated by a different colors being shown in the row accross the samples. These results represent only those markers which showed the same result on two different repetitions. These are results of SRAP markers and thus are random markers in that the exact chromosomal location of the markers is not known.

Reported By: (	(Manager -	Molecular	Breeding	Services)	
----------------	------------	-----------	----------	-----------	--

	7	T	Cnlee		
		Green Leaf	Samples	<del></del>	l
Marker	Allele (bp)	1	Beacon	Lighthouse	
SRAP-1	88	1	1	1	
SRAP-1	104	1	1	1	
SRAP-1	109	1	1	1	
SRAP-1	129	1 1	0	0	
SRAP-1	149	1	1	1	
SRAP-1 SRAP-1	176 178	1 1	1	1	
SRAP-1 SRAP-1	211	1	1 1	1 1	
SRAP-1	223	1	1	1	
SRAP-1	227	0	1	1	
SRAP-1	232	1	1	1 1	
SRAP-1	256	1	1	1	
SRAP-1	311	1	1	1	
SRAP-1	323	1	0	0	
SRAP-2	91	1	1		
SRAP-2	94	1	1	1	
SRAP-2	147	1	1	1	
SRAP-2	163	1 1	1	1	
SRAP-2 SRAP-2	174 180	1	1	1	
SRAP-2 SRAP-2	189	1 1	1	1	
SRAP-2 SRAP-2	196	1	1	1	
SRAP-2	199	1	<del>-</del>	1	
SRAP-2	207	i	1	1	
SRAP-2	214	ō	1	1	
SRAP-2	215	<b>1</b>	1	1	
SRAP-2	300	1	1	1	
SRAP-2	381	1	1	1	
SRAP-2	391	1	1	1	
SRAP-2	411	1	1	. 1	
SRAP-2	423	1	1	1	
SRAP-2 SRAP-2	441 479	1 1	1 1	1	
SRAP-2 SRAP-2	489	1	0	1 0	<del></del>
SRAP-2	498	1	1	1	
SRAP-3	128	ô	1	0	
SRAP-3	136	1	1	ì	
SRAP-3	343	0	1	0	
SRAP-3	371	1	1	1	
SRAP-3	391	1	1	1	
SRAP-3	405	I	1	1	
SRAP-3		1	1	1	
SRAP-4	100	0	1	1	
SRAP-4 SRAP-4	149 154	1	1	1	
SRAP-4	177	1	1	1	
SRAP-4	211	1	0	0	
SRAP-4	224	1	1	1	CONTRACTOR OF THE PARTY OF THE
SRAP-4	227	i	1	1	
SRAP-4	327	0	1	1	
SRAP-4	415	1	1	1	
SRAP-4	434	0	1	0	
SRAP-5	140	<u>1</u>	1	1	
SRAP-5	163	1	1	1	
SRAP-5	168	\$ 1	<u> </u>	0	
SRAP-5	172	1	0	0	Western Committee of the Committee of th
SRAP-5 SRAP-5	204 222	1	1	1	·
SRAP-5 SRAP-5	321	1	1	1 0	
SRAP-5	353	1	1		
י ייעונ	382	1		1	
	1 10/ IV				
SRAP-5			· · · · · · · · · · · · · · · · · · ·		
	386 424	1 1	i	1 1	

Paragon Seed, Inc.

Dome Valley, Arizona

November 17, 2004



**LIGHTHOUSE** 

**BEACON** 

Note:

Lighthouse frame is larger than Beacon frame.

Lighthouse heading is more typical of Vanguard strains, whereas, Beacon heading is more from a whorl, typical of eastern Great Lakes type lettuce.

Lighthouse leaf type more similar to Vanguard, dull olive green with low reflectance.

Beacon leaf type is more similar to Gabilan, with a high degree of reflectance,


The leaf surface of Lighthouse is more similar to Vanguard, slightly savoyed, whereas the leaf surface of Beacon is relatively smooth.

The two varieties can be readily distinguished in the field based on leaf type, color, reflectance and overall plant size.

Paragon Seed, Inc.

Dome Valley, Arizona

**Nobember 17, 2004** 




LIGHTHOUSE

BEACON



BEACON


LIGHTHOUSE



LIGHTHOUSE



LIGHTHOUSE




BEACON



LIGHTHOUSE



BEACON




LIGHTHOUSE



BEACON





LIGHTHOUSE Photo taken into sun to show differences in leaf reflectance

BEACON Beacon high reflectance



BEACON

3 heads showing butt appearance



BEACON 3 heads showing solidity and core height



LIGHTHOUSE

3 heads showing butt appearance



LIGHTHOUSE 3 heads showing solidity and core height

EXHIBIT E  STATEMENT OF THE BASIS OF OWNERSHIP	The following statements are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995.  Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).	
1. NAME OF APPLICANT(S)	TEMPORARY DESIGNATION     OR EXPERIMENTAL NUMBER	3. VARIETY NAME
Paragon Seed, Inc.	EF 5117	Lighthouse
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country)	5. TELEPHONE (include area code)	6. FAX (include area code)
507 Abbott Street	831-753-2100	831-753-1470
Salinas, California 93901	7. PVPO NUMBER	3930122
9. Is the applicant (individual or company) a U.S. national or U.S. based country  If no, give name of country	ompany?	X YES NO
a. If original rights to variety were owned by individual(s), is (are) the ori	O If no, give name of country	
YES N	If no, give name of country	
11. Additional explanation on ownership (if needed, use reverse for extra sp	vace):	

Plant variety protection can be afforded only to owners (not licensees) who meet one of the following criteria:

- 1. If the rights to the variety are owned by the original breeder, that person must be a U.S. national, national of a UPOV member country, or national of a country which affords similar protection to nationals of the U.S. for the same genus and species.
- 2. If the rights to the variety are owned by the company which employed the original breeder(s), the company must be U.S. based, owned by nationals of a UPOV member country, or owned by nationals of a country which affords similar protection to nationals of the U.S. for the same genus and species.
- 3. If the applicant is an owner who is not the original owner, both the original owner and the applicant must meet one of the above criteria.

The original breeder/owner may be the individual or company who directed final breeding. See Section 41(a)(2) of the Plant Variety Protection Act for definition.

According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to compete this information collection is estimated to average 10 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call 1-800-245-6340 (voice) or (202) 720-1127 (TDD). USDA is an equal employment opportunity employer.